

571

Notice of Allowability

Application No.

10/763,401

Examiner

Zia R. Hashmi

Applicant(s)

HORNING ET AL.

Art Unit

2881

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 5/19/2005.
2. ☒ The allowed claim(s) is/are 1-52 and 76-79.
3. ☒ The drawings filed on 23 January 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|--|
| <ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date <u>6/10/2005</u> 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | <ol style="list-style-type: none"> 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ 7. <input type="checkbox"/> Examiner's Amendment/Comment 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance 9. <input type="checkbox"/> Other _____ |
|--|--|

DETAILED ACTION

Allowable Subject Matter

1. A response to Office Action of April 19, 2005 was received on May 19, 2005. Applicant's arguments regarding the election were persuasive. Therefore, claims 53-75 have been rejoined and claims 1-79 have been examined.
2. Claims 1-79 are allowed.
3. With respect to independent claims 1, 30, 31, 35, 38, 50, 53, 70, 71, 75, and 76, prior art fails to disclose methods and apparatus of controlling an ion population to be analyzed in a mass analyzer. Ions are accumulated for an 5 injection time interval determined as a function of an ion accumulation rate and a predetermined desired population of ions. The accumulation rate represents a flow rate of ions from a source of ions into an ion accumulator. Ions derived from the accumulated ions are introduced into the mass analyzer for analysis.

Claims 2-29, 32-34, 36-37, 39-49, 51-52, 54-69, 72-74, and 77-79 are allowed by virtue of their dependencies on the independent claims 1, 30, 31, 35, 38, 50, 53, 70, 71, 75, and 76.


Conclusion

4. Reinhold discloses (US 2004/0245455) a mass spectroscopy system which features confining ions in an ion trap, exciting, and transferring some of the ions to an ion detector.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments of Statement of Reasons for Allowance".
6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact Electronic Business Center (EBC) at 866-217-9197 (toll-free).
7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Zia Hashmi whose telephone number is (571) 272-2473. The examiner can normally be reached between 8.30 AM- 5 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R. Lee can be reached on (571) 272-2477.

Zia Hashmi

July 25, 2005.



NIKITA WELLS
PRIMARY EXAMINER

07/25/05